wwPDB EM Validation Summary Report (i)

Sep 10, 2026 – 02:27 pm BST

PDB ID	:	8BCW / pdb_00008bcw
EMDB ID	:	EMD-15970
Title	:	Photosystem I assembly intermediate of Avena sativa
Authors	:	Naschberger, A.; Amunts, A.; Nelson, N.
Deposited on	:	2022-10-17
Resolution	:	2.11 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev133
Mogul	:	1.8.4, CSD as541be (2020)
MolProbity	:	4-5-2 with Phenix2.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics	:	202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	2361 (1.64 - 2.61)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	750	10% 91% 5% •
2	B	734	13% 92% 8%
3	C	81	94% 5% •
4	D	206	6% 65% 5% 31%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	143	13% 45% 53%
6	H	94	39% 93% 7%
7	I	33	12% 91% 9%
8	L	213	14% 68% 7% 25%

2 Entry composition (i)

There are 18 unique types of molecules in this entry. The entry contains 22313 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosystem I P700 chlorophyll a apoprotein A1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	720	5660	3711	961	969	19	0	0

- Molecule 2 is a protein called Photosystem I P700 chlorophyll a apoprotein A2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	733	5864	3848	996	1007	13	0	0

- Molecule 3 is a protein called Photosystem I iron-sulfur center.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	80	605	372	104	118	11	0	0

- Molecule 4 is a protein called Photosystem I reaction center subunit II, chloroplastic.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	143	1124	722	196	203	3	0	0

- Molecule 5 is a protein called Photosystem I reaction center subunit IV A, chloroplastic.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	E	67	533	340	94	99	0	0

- Molecule 6 is a protein called Photosystem I reaction center subunit VI, chloroplastic.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	H	94	715	469	114	132	0	0

- Molecule 7 is a protein called Photosystem I reaction center subunit VIII.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	I	33	258	178	38	41	1	0	0

- Molecule 8 is a protein called PSI subunit V.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	L	159	1192	788	189	214	1	0	0

- Molecule 9 is CHLOROPHYLL A ISOMER (CCD ID: CL0) (formula: $C_{55}H_{72}MgN_4O_5$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
9	A	1	65	55	1	4	5	0
9	H	1	55	45	1	4	5	0

- Molecule 10 is CHLOROPHYLL A (CCD ID: CLA) (formula: $C_{55}H_{72}MgN_4O_5$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
10	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
10	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
10	A	1	Total 45	C 35	Mg 1	N 4	O 5	0
10	A	1	Total 50	C 40	Mg 1	N 4	O 5	0
10	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
10	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
10	A	1	Total 47	C 37	Mg 1	N 4	O 5	0
10	A	1	Total 55	C 45	Mg 1	N 4	O 5	0
10	A	1	Total 50	C 40	Mg 1	N 4	O 5	0
10	A	1	Total 45	C 35	Mg 1	N 4	O 5	0
10	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
10	A	1	Total 45	C 35	Mg 1	N 4	O 5	0
10	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
10	A	1	Total 54	C 44	Mg 1	N 4	O 5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
10	A	1	60	50	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	56	46	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	52	42	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	60	50	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	55	45	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	60	50	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	55	45	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	65	55	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
10	A	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	51	41	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	55	45	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	55	45	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	55	45	1	4	5	0
			Total	C	Mg	N	O	
10	A	1	50	40	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	60	50	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	56	46	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	45	35	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	55	45	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	57	47	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	60	50	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	55	45	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	56	46	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	50	40	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	45	35	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
10	B	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	51	41	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	55	45	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	50	40	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	B	1	65	55	1	4	5	0
			Total	C	Mg	N	O	
10	L	1	45	35	1	4	5	0
			Total	C	Mg	N	O	
10	L	1	60	50	1	4	5	0
			Total	C	Mg	N	O	
10	L	1	45	35	1	4	5	0

- Molecule 11 is PHYLLOQUINONE (CCD ID: PQN) (formula: $C_{31}H_{46}O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
11	A	1	33	31	2	0
			Total	C	O	
11	B	1	33	31	2	0

- Molecule 12 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (CCD ID: LHG) (formula: $C_{38}H_{75}O_{10}P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
12	A	1	Total	C	O	P	0
			41	30	10	1	
12	A	1	Total	C	O	P	0
			31	20	10	1	
12	B	1	Total	C	O	P	0
			49	38	10	1	

- Molecule 13 is BETA-CAROTENE (CCD ID: BCR) (formula: $C_{40}H_{56}$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms		AltConf
			Total	C	
13	A	1	40	40	0
			Total	C	
13	A	1	40	40	0
			Total	C	
13	A	1	40	40	0
			Total	C	
13	A	1	40	40	0
			Total	C	
13	A	1	40	40	0
			Total	C	
13	B	1	40	40	0
			Total	C	
13	B	1	40	40	0
			Total	C	
13	B	1	40	40	0
			Total	C	
13	B	1	40	40	0
			Total	C	
13	I	1	40	40	0
			Total	C	
13	L	1	40	40	0
			Total	C	
13	L	1	40	40	0
			Total	C	
13	L	1	40	40	0

- Molecule 14 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
14	A	1	8	4	4	0
14	C	1	8	4	4	0
14	C	1	8	4	4	0

- Molecule 15 is DODECYL-ALPHA-D-MALTOSIDE (CCD ID: LMU) (formula: $C_{24}H_{46}O_{11}$).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
15	A	1	35	24	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
15	A	1	24	18	6	0
15	A	1	21	15	6	0

- Molecule 16 is 1,2-DISTEAROYL-MONOGALACTOSYL-DIGLYCERIDE (CCD ID: LMG) (formula: $C_{45}H_{86}O_{10}$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
16	A	1	43	33	10	0

- Molecule 17 is DIGALACTOSYL DIACYL GLYCEROL (DGDG) (CCD ID: DGD) (formula: $C_{51}H_{96}O_{15}$) (labeled as "Ligand of Interest" by depositor).

DGD



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
17	B	1	61	46	15	0

- Molecule 18 is water.

Mol	Chain	Residues	Atoms		AltConf
			Total	O	
18	A	155	155	155	0
18	B	203	203	203	0
18	C	62	62	62	0
18	D	47	47	47	0
18	E	13	13	13	0
18	H	9	9	9	0
18	I	4	4	4	0
18	L	24	24	24	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Photosystem I P700 chlorophyll a apoprotein A1

Chain A:





• Molecule 2: Photosystem I P700 chlorophyll a apoprotein A2

Chain B:





• Molecule 3: Photosystem I iron-sulfur center

Chain C: 94% 5%



• Molecule 4: Photosystem I reaction center subunit II, chloroplastic

Chain D: 6% 65% 5% 31%



• Molecule 5: Photosystem I reaction center subunit IV A, chloroplastic

Chain E: 13% 45% 53%



• Molecule 6: Photosystem I reaction center subunit VI, chloroplastic

Chain H: 39% 93% 7%



• Molecule 7: Photosystem I reaction center subunit VIII

Chain I: 12% 91% 9%



• Molecule 8: PSI subunit V

Chain L: 14% 68% 7% 25%



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	169213	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	51.346	Depositor
Minimum defocus (nm)	300	Depositor
Maximum defocus (nm)	2100	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.470	Depositor
Minimum map value	-0.159	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.053	Depositor
Map size (Å)	336.0, 336.0, 336.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.84, 0.84, 0.84	Depositor

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PQN, DGD, CL0, LMU, CLA, BCR, SF4, LHG, LMG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| >5$	RMSZ	$\#\|Z\| >5$
1	A	0.15	0/5853	0.30	0/7985
2	B	0.15	0/6075	0.31	0/8297
3	C	0.13	0/616	0.33	0/834
4	D	0.11	0/1153	0.34	0/1557
5	E	0.09	0/546	0.24	0/743
6	H	0.11	0/737	0.27	0/1002
7	I	0.13	0/264	0.28	0/359
8	L	0.12	0/1228	0.27	0/1681
All	All	0.14	0/16472	0.30	0/22458

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	667	TRP	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5660	0	5513	27	0
2	B	5864	0	5642	44	0
3	C	605	0	587	3	0
4	D	1124	0	1128	6	0
5	E	533	0	538	1	0
6	H	715	0	715	4	0
7	I	258	0	285	2	0
8	L	1192	0	1197	9	0
9	A	65	0	72	0	0
9	H	55	0	49	1	0
10	A	2520	0	2393	35	0
10	B	2140	0	2054	36	0
10	L	150	0	125	3	0
11	A	33	0	46	1	0
11	B	33	0	46	1	0
12	A	72	0	87	3	0
12	B	49	0	74	6	0
13	A	200	0	280	15	0
13	B	160	0	224	8	0
13	I	40	0	56	2	0
13	L	120	0	168	3	0
14	A	8	0	0	0	0
14	C	16	0	0	0	0
15	A	80	0	107	3	0
16	A	43	0	56	1	0
17	B	61	0	83	1	0
18	A	155	0	0	1	0
18	B	203	0	0	1	0
18	C	62	0	0	0	0
18	D	47	0	0	0	0
18	E	13	0	0	0	0
18	H	9	0	0	0	0
18	I	4	0	0	0	0
18	L	24	0	0	1	0
All	All	22313	0	21525	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 153 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:ASN:ND2	15:A:855:LMU:O6'	2.24	0.70
2:B:490:ARG:HA	2:B:494:LEU:HD12	1.76	0.68
10:B:802:CLA:H143	13:B:843:BCR:H362	1.76	0.66
2:B:150:LEU:HD11	12:B:845:LHG:H382	1.80	0.63
8:L:59:ILE:HA	8:L:69:GLU:HG3	1.79	0.63

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	718/750 (96%)	703 (98%)	15 (2%)	0	100	100
2	B	731/734 (100%)	716 (98%)	15 (2%)	0	100	100
3	C	78/81 (96%)	76 (97%)	2 (3%)	0	100	100
4	D	141/206 (68%)	138 (98%)	3 (2%)	0	100	100
5	E	65/143 (46%)	65 (100%)	0	0	100	100
6	H	92/94 (98%)	91 (99%)	1 (1%)	0	100	100
7	I	31/33 (94%)	31 (100%)	0	0	100	100
8	L	157/213 (74%)	154 (98%)	3 (2%)	0	100	100
All	All	2013/2254 (89%)	1974 (98%)	39 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	580/608 (95%)	577 (100%)	3 (0%)	81	87
2	B	598/599 (100%)	594 (99%)	4 (1%)	76	83
3	C	70/71 (99%)	70 (100%)	0	100	100
4	D	120/163 (74%)	120 (100%)	0	100	100
5	E	59/115 (51%)	59 (100%)	0	100	100
6	H	76/76 (100%)	75 (99%)	1 (1%)	61	69
7	I	30/30 (100%)	30 (100%)	0	100	100
8	L	123/168 (73%)	122 (99%)	1 (1%)	73	80
All	All	1656/1830 (90%)	1647 (100%)	9 (0%)	78	87

5 of 9 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
6	H	50	GLU
8	L	143	VAL
2	B	297	ILE
2	B	324	ASP
2	B	394	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 12 such sidechains are listed below:

Mol	Chain	Res	Type
3	C	38	GLN
6	H	66	GLN
8	L	121	ASN
6	H	79	ASN
1	A	486	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

114 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
10	CLA	B	801	2	69,73,73	1.12	4 (5%)	83,113,113	0.85	3 (3%)
10	CLA	A	814	1	69,73,73	1.17	4 (5%)	83,113,113	0.87	3 (3%)
10	CLA	B	823	18	60,64,73	1.29	4 (6%)	72,102,113	0.93	4 (5%)
10	CLA	A	806	1	69,73,73	1.16	4 (5%)	83,113,113	0.89	4 (4%)
10	CLA	B	808	2	69,73,73	1.16	4 (5%)	83,113,113	0.87	3 (3%)
10	CLA	A	803	18	69,73,73	1.24	4 (5%)	83,113,113	0.92	4 (4%)
15	LMU	A	855	-	36,36,36	0.12	0	47,47,47	0.25	0
10	CLA	B	812	2	69,73,73	1.18	4 (5%)	83,113,113	0.89	4 (4%)
10	CLA	A	831	1	69,73,73	1.13	4 (5%)	83,113,113	0.86	4 (4%)
15	LMU	A	859	-	21,21,36	0.13	0	26,26,47	0.28	0
10	CLA	A	835	1	69,73,73	1.19	4 (5%)	83,113,113	0.87	3 (3%)
10	CLA	B	806	2	64,68,73	1.18	4 (6%)	77,107,113	0.90	3 (3%)
9	CL0	A	801	1	69,73,73	1.57	9 (13%)	83,113,113	1.18	7 (8%)
10	CLA	A	822	18	69,73,73	1.16	4 (5%)	83,113,113	0.89	2 (2%)
10	CLA	A	824	1	49,53,73	1.41	4 (8%)	59,89,113	1.06	4 (6%)
10	CLA	A	832	1	49,53,73	1.39	4 (8%)	59,89,113	1.03	3 (5%)
13	BCR	A	850	-	41,41,41	0.15	0	56,56,56	0.34	0
10	CLA	B	814	2	59,63,73	1.24	4 (6%)	71,101,113	0.95	4 (5%)
10	CLA	B	835	2	59,63,73	1.22	4 (6%)	71,101,113	0.96	4 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
10	CLA	B	822	2	49,53,73	1.39	4 (8%)	59,89,113	1.05	4 (6%)
13	BCR	B	843	-	41,41,41	0.14	0	56,56,56	0.42	0
10	CLA	A	828	1	69,73,73	1.16	4 (5%)	83,113,113	0.89	4 (4%)
13	BCR	B	841	-	41,41,41	0.14	0	56,56,56	0.30	0
10	CLA	L	303	8	64,68,73	1.18	4 (6%)	77,107,113	0.92	4 (5%)
10	CLA	A	820	1	69,73,73	1.15	4 (5%)	83,113,113	0.91	4 (4%)
10	CLA	B	826	2	69,73,73	1.16	4 (5%)	83,113,113	0.93	4 (4%)
13	BCR	A	851	-	41,41,41	0.18	0	56,56,56	0.34	0
10	CLA	B	805	2	69,73,73	1.16	4 (5%)	83,113,113	0.85	4 (4%)
13	BCR	I	101	-	41,41,41	0.16	0	56,56,56	0.44	0
17	DGD	B	844	-	62,62,67	0.18	0	76,76,81	0.30	0
14	SF4	C	102	3	0,12,12	-	-	-		
10	CLA	L	304	18	49,53,73	1.41	4 (8%)	59,89,113	1.04	4 (6%)
10	CLA	B	831	2	49,53,73	1.35	4 (8%)	59,89,113	1.07	4 (6%)
10	CLA	A	829	1	64,68,73	1.25	4 (6%)	77,107,113	0.91	3 (3%)
10	CLA	A	856	18	54,58,73	1.32	4 (7%)	65,95,113	0.99	4 (6%)
10	CLA	A	837	1	49,53,73	1.40	4 (8%)	59,89,113	1.06	4 (6%)
10	CLA	A	854	18	59,63,73	1.25	4 (6%)	71,101,113	1.03	4 (5%)
10	CLA	A	834	1	69,73,73	1.13	4 (5%)	83,113,113	0.92	4 (4%)
10	CLA	A	830	1	69,73,73	1.15	4 (5%)	83,113,113	0.85	4 (4%)
10	CLA	B	802	-	69,73,73	1.14	4 (5%)	83,113,113	0.86	5 (6%)
10	CLA	B	837	18	69,73,73	1.12	4 (5%)	83,113,113	0.88	4 (4%)
10	CLA	B	830	2	49,53,73	1.38	4 (8%)	59,89,113	1.05	4 (6%)
9	CL0	H	201	6	59,63,73	1.73	8 (13%)	71,101,113	1.32	7 (9%)
10	CLA	B	836	2	54,58,73	1.31	4 (7%)	65,95,113	0.98	4 (6%)
15	LMU	A	857	-	24,24,36	0.13	0	29,29,47	0.29	0
10	CLA	A	817	18	49,53,73	1.43	4 (8%)	59,89,113	1.04	3 (5%)
10	CLA	B	811	2	49,53,73	1.40	4 (8%)	59,89,113	1.06	4 (6%)
12	LHG	B	845	-	48,48,48	0.23	0	51,54,54	0.24	0
16	LMG	A	858	-	43,43,55	0.18	0	51,51,63	0.17	0
10	CLA	B	816	2	64,68,73	1.24	4 (6%)	77,107,113	0.91	4 (5%)
10	CLA	B	833	2	49,53,73	1.36	4 (8%)	59,89,113	1.06	3 (5%)
10	CLA	A	815	1	58,62,73	1.31	4 (6%)	69,99,113	0.96	4 (5%)
10	CLA	B	832	2	49,53,73	1.36	4 (8%)	59,89,113	1.05	3 (5%)
10	CLA	B	829	2	49,53,73	1.39	4 (8%)	59,89,113	1.06	3 (5%)
10	CLA	A	807	1	69,73,73	1.15	4 (5%)	83,113,113	0.87	4 (4%)
13	BCR	L	306	-	41,41,41	0.12	0	56,56,56	0.24	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
10	CLA	B	834	2	55,59,73	1.28	4 (7%)	66,96,113	0.98	3 (4%)
10	CLA	A	810	1	54,58,73	1.32	4 (7%)	65,95,113	0.99	4 (6%)
10	CLA	A	821	1	49,53,73	1.39	4 (8%)	59,89,113	1.04	4 (6%)
10	CLA	B	818	18	59,63,73	1.28	4 (6%)	71,101,113	0.96	4 (5%)
10	CLA	B	820	2	49,53,73	1.39	4 (8%)	59,89,113	1.06	4 (6%)
10	CLA	A	836	1	69,73,73	1.15	4 (5%)	83,113,113	0.87	3 (3%)
10	CLA	B	824	18	54,58,73	1.28	4 (7%)	65,95,113	0.97	3 (4%)
10	CLA	A	845	12	49,53,73	1.40	4 (8%)	59,89,113	1.06	4 (6%)
10	CLA	B	810	2	60,64,73	1.27	4 (6%)	72,102,113	0.94	4 (5%)
12	LHG	A	846	-	40,40,48	0.26	0	43,46,54	0.28	0
10	CLA	B	807	2	69,73,73	1.13	4 (5%)	83,113,113	0.86	3 (3%)
10	CLA	A	841	1	59,63,73	1.26	4 (6%)	71,101,113	0.95	4 (5%)
10	CLA	B	821	2	49,53,73	1.40	4 (8%)	59,89,113	1.05	4 (6%)
10	CLA	A	839	1	69,73,73	1.17	4 (5%)	83,113,113	0.88	4 (4%)
10	CLA	B	827	2	69,73,73	1.11	4 (5%)	83,113,113	0.92	5 (6%)
11	PQN	A	844	-	34,34,34	0.32	0	42,45,45	0.35	0
10	CLA	A	804	1	49,53,73	1.41	4 (8%)	59,89,113	1.07	4 (6%)
10	CLA	B	809	2	69,73,73	1.17	4 (5%)	83,113,113	0.86	4 (4%)
10	CLA	A	812	10,1	69,73,73	1.15	4 (5%)	83,113,113	0.87	4 (4%)
10	CLA	A	827	18	59,63,73	1.23	4 (6%)	71,101,113	0.93	4 (5%)
10	CLA	A	823	1	56,60,73	1.29	4 (7%)	67,97,113	0.99	4 (5%)
10	CLA	B	804	2	69,73,73	1.13	4 (5%)	83,113,113	0.88	3 (3%)
13	BCR	A	852	-	41,41,41	0.27	0	56,56,56	0.83	1 (1%)
10	CLA	A	840	1	59,63,73	1.19	4 (6%)	71,101,113	0.96	4 (5%)
10	CLA	A	808	1	51,55,73	1.34	4 (7%)	61,91,113	1.03	4 (6%)
10	CLA	A	826	18	69,73,73	1.20	4 (5%)	83,113,113	0.89	4 (4%)
10	CLA	B	838	2	69,73,73	1.10	4 (5%)	83,113,113	0.89	4 (4%)
10	CLA	A	811	1	49,53,73	1.39	4 (8%)	59,89,113	1.05	4 (6%)
10	CLA	B	825	2	69,73,73	1.20	4 (5%)	83,113,113	0.88	4 (4%)
14	SF4	A	853	1,2	0,12,12	-	-	-		
13	BCR	B	840	-	41,41,41	0.19	0	56,56,56	0.44	0
10	CLA	B	828	2	69,73,73	1.08	5 (7%)	83,113,113	0.88	4 (4%)
13	BCR	L	301	-	41,41,41	0.14	0	56,56,56	0.32	0
11	PQN	B	839	-	34,34,34	0.32	0	42,45,45	0.32	0
12	LHG	A	847	10	30,30,48	0.29	0	33,36,54	0.31	0
13	BCR	B	842	-	41,41,41	0.13	0	56,56,56	0.41	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
13	BCR	A	848	-	41,41,41	0.12	0	56,56,56	0.26	0
13	BCR	A	849	-	41,41,41	0.13	0	56,56,56	0.28	0
14	SF4	C	101	3	0,12,12	-	-	-		
10	CLA	A	843	18	69,73,73	1.17	4 (5%)	83,113,113	0.91	4 (4%)
10	CLA	B	803	2	49,53,73	1.36	4 (8%)	59,89,113	1.02	4 (6%)
10	CLA	B	813	2	69,73,73	1.17	4 (5%)	83,113,113	0.87	4 (4%)
10	CLA	A	809	1	59,63,73	1.24	4 (6%)	71,101,113	0.94	4 (5%)
10	CLA	A	813	1	49,53,73	1.40	4 (8%)	59,89,113	1.05	4 (6%)
10	CLA	A	819	1	60,64,73	1.30	4 (6%)	72,102,113	0.95	4 (5%)
10	CLA	B	815	2	61,65,73	1.24	4 (6%)	73,103,113	0.95	4 (5%)
10	CLA	A	816	1	64,68,73	1.20	4 (6%)	77,107,113	0.91	4 (5%)
10	CLA	A	802	-	69,73,73	1.10	4 (5%)	83,113,113	0.88	3 (3%)
10	CLA	A	842	1	49,53,73	1.40	4 (8%)	59,89,113	1.07	4 (6%)
10	CLA	A	805	10,1	54,58,73	1.31	4 (7%)	65,95,113	0.94	3 (4%)
10	CLA	A	818	1	49,53,73	1.41	4 (8%)	59,89,113	1.06	4 (6%)
10	CLA	A	838	1	55,59,73	1.28	4 (7%)	66,96,113	0.98	4 (6%)
10	CLA	A	825	1	64,68,73	1.21	4 (6%)	77,107,113	0.91	4 (5%)
13	BCR	L	305	-	41,41,41	0.27	0	56,56,56	0.46	1 (1%)
10	CLA	A	833	1	59,63,73	1.23	4 (6%)	71,101,113	0.92	2 (2%)
10	CLA	B	819	2	49,53,73	1.41	4 (8%)	59,89,113	1.05	4 (6%)
10	CLA	B	817	2	69,73,73	1.18	4 (5%)	83,113,113	0.91	4 (4%)
10	CLA	L	302	8	49,53,73	1.38	4 (8%)	59,89,113	1.04	4 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	CLA	B	801	2	-	6/39/115/115	-
10	CLA	A	814	1	-	6/39/115/115	-
10	CLA	B	823	18	-	5/29/105/115	-
10	CLA	A	806	1	-	3/39/115/115	-
10	CLA	B	808	2	-	6/39/115/115	-
10	CLA	A	803	18	-	2/39/115/115	-
15	LMU	A	855	-	-	4/21/61/61	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	CLA	B	812	2	-	9/39/115/115	-
10	CLA	A	831	1	-	2/39/115/115	-
15	LMU	A	859	-	-	4/12/32/61	0/1/1/2
10	CLA	A	835	1	-	2/39/115/115	-
10	CLA	B	806	2	-	4/33/109/115	-
9	CL0	A	801	1	-	4/39/115/115	-
10	CLA	A	822	18	-	0/39/115/115	-
10	CLA	A	824	1	-	5/15/91/115	-
10	CLA	A	832	1	-	3/15/91/115	-
13	BCR	A	850	-	-	2/29/63/63	0/2/2/2
10	CLA	B	814	2	-	7/27/103/115	-
10	CLA	B	835	2	-	2/27/103/115	-
10	CLA	B	822	2	-	5/15/91/115	-
13	BCR	B	843	-	-	1/29/63/63	0/2/2/2
10	CLA	A	828	1	-	2/39/115/115	-
13	BCR	B	841	-	-	6/29/63/63	0/2/2/2
10	CLA	L	303	8	-	3/33/109/115	-
10	CLA	A	820	1	-	6/39/115/115	-
10	CLA	B	826	2	-	6/39/115/115	-
13	BCR	A	851	-	-	2/29/63/63	0/2/2/2
10	CLA	B	805	2	-	2/39/115/115	-
13	BCR	I	101	-	-	0/29/63/63	0/2/2/2
17	DGD	B	844	-	-	11/50/90/95	0/2/2/2
14	SF4	C	102	3	-	-	0/6/5/5
10	CLA	L	304	18	-	0/15/91/115	-
10	CLA	B	831	2	-	2/15/91/115	-
10	CLA	A	829	1	-	2/33/109/115	-
10	CLA	A	856	18	-	2/21/97/115	-
10	CLA	A	837	1	-	1/15/91/115	-
10	CLA	A	854	18	-	3/27/103/115	-
10	CLA	A	834	1	-	5/39/115/115	-
10	CLA	A	830	1	-	2/39/115/115	-
10	CLA	B	802	-	-	1/39/115/115	-
10	CLA	B	837	18	-	5/39/115/115	-
10	CLA	B	830	2	-	4/15/91/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	CL0	H	201	6	-	4/27/103/115	-
10	CLA	B	836	2	-	0/21/97/115	-
15	LMU	A	857	-	-	3/15/35/61	0/1/1/2
10	CLA	A	817	18	-	3/15/91/115	-
10	CLA	B	811	2	-	5/15/91/115	-
12	LHG	B	845	-	-	18/53/53/53	-
16	LMG	A	858	-	-	2/38/58/70	0/1/1/1
10	CLA	B	816	2	-	5/33/109/115	-
10	CLA	B	833	2	-	4/15/91/115	-
10	CLA	A	815	1	-	3/26/102/115	-
10	CLA	B	832	2	-	3/15/91/115	-
10	CLA	B	829	2	-	6/15/91/115	-
10	CLA	A	807	1	-	6/39/115/115	-
13	BCR	L	306	-	-	1/29/63/63	0/2/2/2
10	CLA	B	834	2	-	4/23/99/115	-
10	CLA	A	810	1	-	4/21/97/115	-
10	CLA	A	821	1	-	5/15/91/115	-
10	CLA	B	818	18	-	2/27/103/115	-
10	CLA	B	820	2	-	6/15/91/115	-
10	CLA	A	836	1	-	7/39/115/115	-
10	CLA	B	824	18	-	2/21/97/115	-
10	CLA	A	845	12	-	7/15/91/115	-
10	CLA	B	810	2	-	4/29/105/115	-
12	LHG	A	846	-	-	7/45/45/53	-
10	CLA	B	807	2	-	7/39/115/115	-
10	CLA	A	841	1	-	2/27/103/115	-
10	CLA	B	821	2	-	7/15/91/115	-
10	CLA	A	839	1	-	4/39/115/115	-
10	CLA	B	827	2	-	8/39/115/115	-
11	PQN	A	844	-	-	0/23/43/43	0/2/2/2
10	CLA	A	804	1	-	4/15/91/115	-
10	CLA	B	809	2	-	4/39/115/115	-
10	CLA	A	812	10,1	-	9/39/115/115	-
10	CLA	A	827	18	-	1/27/103/115	-
10	CLA	A	823	1	-	7/24/100/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	CLA	B	804	2	-	5/39/115/115	-
13	BCR	A	852	-	-	4/29/63/63	0/2/2/2
10	CLA	A	840	1	-	2/27/103/115	-
10	CLA	A	808	1	-	2/18/94/115	-
10	CLA	A	826	18	-	7/39/115/115	-
10	CLA	B	838	2	-	4/39/115/115	-
10	CLA	A	811	1	-	1/15/91/115	-
10	CLA	B	825	2	-	3/39/115/115	-
14	SF4	A	853	1,2	-	-	0/6/5/5
13	BCR	B	840	-	-	1/29/63/63	0/2/2/2
10	CLA	B	828	2	-	8/39/115/115	-
13	BCR	L	301	-	-	4/29/63/63	0/2/2/2
11	PQN	B	839	-	-	3/23/43/43	0/2/2/2
12	LHG	A	847	10	-	10/35/35/53	-
13	BCR	B	842	-	-	2/29/63/63	0/2/2/2
13	BCR	A	848	-	-	4/29/63/63	0/2/2/2
13	BCR	A	849	-	-	2/29/63/63	0/2/2/2
14	SF4	C	101	3	-	-	0/6/5/5
10	CLA	A	843	18	-	7/39/115/115	-
10	CLA	B	803	2	-	4/15/91/115	-
10	CLA	B	813	2	-	4/39/115/115	-
10	CLA	A	809	1	-	9/27/103/115	-
10	CLA	A	813	1	-	3/15/91/115	-
10	CLA	A	819	1	-	7/29/105/115	-
10	CLA	B	815	2	-	5/30/106/115	-
10	CLA	A	816	1	-	4/33/109/115	-
10	CLA	A	802	-	-	0/39/115/115	-
10	CLA	A	842	1	-	4/15/91/115	-
10	CLA	A	805	10,1	-	3/21/97/115	-
10	CLA	A	818	1	-	4/15/91/115	-
10	CLA	A	838	1	-	1/23/99/115	-
10	CLA	A	825	1	-	4/33/109/115	-
13	BCR	L	305	-	-	2/29/63/63	0/2/2/2
10	CLA	A	833	1	-	1/27/103/115	-
10	CLA	B	819	2	-	4/15/91/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	CLA	B	817	2	-	4/39/115/115	-
10	CLA	L	302	8	-	2/15/91/115	-

The worst 5 of 362 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B	823	CLA	C1D-ND	5.91	1.45	1.37
10	A	803	CLA	C1D-ND	5.88	1.45	1.37
10	A	838	CLA	C1D-ND	5.88	1.45	1.37
10	A	826	CLA	C1D-ND	5.85	1.45	1.37
10	A	817	CLA	C1D-ND	5.84	1.45	1.37

The worst 5 of 340 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
10	B	831	CLA	C1D-ND-C4D	-4.27	103.30	106.33
9	A	801	CL0	CHB-C1B-NB	-4.26	119.74	124.26
10	A	820	CLA	C1D-ND-C4D	-4.25	103.31	106.33
10	A	828	CLA	C1D-ND-C4D	-4.21	103.34	106.33
10	A	804	CLA	C1D-ND-C4D	-4.21	103.34	106.33

There are no chirality outliers.

5 of 445 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	A	812	CLA	C2B-C3B-CAB-CBB
10	A	812	CLA	C4B-C3B-CAB-CBB
10	A	812	CLA	CHA-CBD-CGD-O2D
10	A	818	CLA	CHA-CBD-CGD-O2D
10	A	819	CLA	C1A-C2A-CAA-CBA

There are no ring outliers.

72 monomers are involved in 98 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	B	801	CLA	1	0
10	A	814	CLA	2	0
10	B	823	CLA	1	0
10	B	808	CLA	1	0
10	A	803	CLA	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
15	A	855	LMU	2	0
10	B	812	CLA	1	0
15	A	859	LMU	1	0
10	B	806	CLA	3	0
10	A	822	CLA	4	0
10	A	832	CLA	1	0
13	A	850	BCR	3	0
10	B	814	CLA	1	0
10	B	822	CLA	1	0
13	B	843	BCR	1	0
10	A	828	CLA	2	0
13	B	841	BCR	1	0
10	A	820	CLA	1	0
10	B	826	CLA	1	0
13	A	851	BCR	2	0
13	I	101	BCR	2	0
17	B	844	DGD	1	0
10	L	304	CLA	2	0
10	B	831	CLA	1	0
10	A	837	CLA	1	0
10	A	854	CLA	2	0
10	A	830	CLA	1	0
10	B	802	CLA	2	0
10	B	837	CLA	1	0
9	H	201	CL0	1	0
10	A	817	CLA	1	0
12	B	845	LHG	6	0
16	A	858	LMG	1	0
10	B	816	CLA	2	0
10	B	833	CLA	3	0
10	A	815	CLA	3	0
10	B	829	CLA	2	0
13	L	306	BCR	1	0
10	A	810	CLA	1	0
10	B	818	CLA	3	0
10	A	836	CLA	2	0
10	B	824	CLA	2	0
10	B	807	CLA	2	0
10	A	841	CLA	1	0
10	B	821	CLA	1	0
10	B	827	CLA	2	0
11	A	844	PQN	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	A	804	CLA	1	0
10	A	812	CLA	2	0
13	A	852	BCR	7	0
10	A	808	CLA	1	0
10	A	826	CLA	3	0
10	B	825	CLA	3	0
13	B	840	BCR	1	0
10	B	828	CLA	1	0
13	L	301	BCR	1	0
11	B	839	PQN	1	0
12	A	847	LHG	3	0
13	B	842	BCR	5	0
13	A	848	BCR	2	0
13	A	849	BCR	2	0
10	A	843	CLA	3	0
10	B	803	CLA	1	0
10	B	813	CLA	4	0
10	A	809	CLA	2	0
10	A	819	CLA	2	0
10	A	802	CLA	2	0
10	A	842	CLA	1	0
10	A	805	CLA	1	0
10	A	825	CLA	1	0
13	L	305	BCR	1	0
10	L	302	CLA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand CLA B 801



Ligand CLA A 814



Ligand CLA B 823



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA A 806



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA B 808



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA A 803



Bond lengths



Bond angles



Torsions



Rings

Ligand LMU A 855	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA B 812	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA A 831



Bond lengths



Bond angles



Torsions

Rings

Ligand LMU A 859



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA A 835



Ligand CLA B 806



Ligand CL0 A 801



Ligand CLA A 822



Ligand CLA A 824



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA A 832



Ligand BCR A 850



Ligand CLA B 814



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA B 835	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA B 822



Bond lengths



Bond angles



Torsions



Rings

Ligand BCR B 843

Bond lengths

Bond angles



Torsions



Rings

Ligand CLA A 828



Ligand BCR B 841



Ligand CLA L 303	
 Bond lengths	 Bond angles
 Torsions	Rings

Ligand CLA A 820



Ligand CLA B 826



Bond lengths



Bond angles



Torsions



Rings

Ligand BCR A 851



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA B 805



Bond lengths



Bond angles



Torsions



Rings

Ligand BCR I 101



Bond lengths



Bond angles



Torsions



Rings

Ligand DGD B 844	
 Bond lengths	 Bond angles
 Torsions	Rings

Ligand SF4 C 102



Ligand CLA L 304



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA B 831



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA A 829	
 Bond lengths	 Bond angles
 Torsions	Rings

Ligand CLA A 856



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA A 837



Ligand CLA A 854	
 Bond lengths	 Bond angles
 Torsions	Rings

Ligand CLA A 834	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA A 830



Ligand CLA B 802



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA B 837



Bond lengths



Bond angles



Torsions

Rings

Ligand CLA B 830



Bond lengths



Bond angles



Torsions



Rings

Ligand CL0 H 201	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA B 836	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand LMU A 857	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA A 817



Ligand CLA B 811



Bond lengths



Bond angles



Torsions



Rings

Ligand LHG B 845



Ligand LMG A 858



Ligand CLA B 816	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA B 833	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA A 815



Ligand CLA B 832



Ligand CLA B 829



Ligand CLA A 807



Ligand BCR L 306



Ligand CLA B 834	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA A 810



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA A 821



Ligand CLA B 818



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA B 820



Ligand CLA A 836	
 Bond lengths	 Bond angles
 Torsions	Rings

Ligand CLA B 824	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA A 845



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA B 810



Ligand LHG A 846	
 Bond lengths	 Bond angles
 Torsions	Rings

Ligand CLA B 807



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA A 841	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA B 821	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA A 839	
 Bond lengths	 Bond angles
 Torsions	Rings

Ligand CLA B 827	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand PQN A 844	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA A 804



Ligand CLA B 809



Ligand CLA A 812	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA A 827	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA A 823



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA B 804



Bond lengths



Bond angles



Torsions



Rings

Ligand BCR A 852



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA A 840	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA A 808



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA A 826



Ligand CLA B 838	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA A 811



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA B 825	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand SF4 A 853



Ligand BCR B 840



Ligand CLA B 828



Ligand BCR L 301



Ligand PQN B 839



Ligand LHG A 847



Ligand BCR B 842	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand BCR A 848	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand BCR A 849	
 Bond lengths	Bond angles
 Torsions	Rings

Ligand SF4 C 101



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA A 843



Ligand CLA B 803



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA B 813



Ligand CLA A 809



Ligand CLA A 813



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA A 819



Ligand CLA B 815



Ligand CLA A 816



Ligand CLA A 802	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA A 842



Ligand CLA A 805



Ligand CLA A 818



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA A 838	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA A 825



Bond lengths



Bond angles



Torsions

Rings

Ligand BCR L 305



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA A 833



Ligand CLA B 819



Bond lengths



Bond angles



Torsions



Rings

Ligand CLA B 817	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand CLA L 302



Bond lengths



Bond angles



Torsions



Rings

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-15970. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



X



Y



Z

6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map


X Index: 200


Y Index: 200


Z Index: 200

6.2.2 Raw map


X Index: 200


Y Index: 200


Z Index: 200

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 219

Y Index: 198

Z Index: 193

6.3.2 Raw map



X Index: 219



Y Index: 198



Z Index: 193

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map


X


Y


Z

6.4.2 Raw map


X


Y


Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views (i)

6.5.1 Primary map

X Y Z

The images above show the 3D surface view of the map at the recommended contour level 0.053. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map

X Y Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency

A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure

6.6.1 emd_15970_msk_1.map (i)



X



Y



Z

7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate (i)



The volume at the recommended contour level is 64 nm^3; this corresponds to an approximate mass of 58 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.474 Å^{-1}

8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.474 Å^{-1}

8.2 Resolution estimates (i)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.11	-	-
Author-provided FSC curve	2.11	2.59	2.15
Unmasked-calculated*	2.89	3.76	2.98

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.89 differs from the reported value 2.11 by more than 10 %

9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-15970 and PDB model 8BCW. Per-residue inclusion information can be found in section 3 on page 16.

9.1 Map-model overlay (i)



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.053 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.053).

9.4 Atom inclusion (i)



At the recommended contour level, 81% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.053) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7680	0.7070
A	0.8030	0.7130
B	0.7530	0.7060
C	0.9490	0.7580
D	0.8140	0.7130
E	0.6400	0.6690
H	0.4850	0.6610
I	0.7610	0.7030
L	0.7210	0.6940